

# Navigator 6.0

## Self-Powered Scissor Lift

### WORKING DIMENSIONS

Working Height:	6.0 m
Working Platform:	4.0 m
Working Footprint:	1.3 (L) x 0.73 (W) m
Platform Dimensions:	0.90 (L) x 0.69 (W) m
Safe Working Load:	150 kg
Maximum Side Force:	200 N
Maximum Windspeed (Outdoors):	12.5 m/s
Maximum Gradient:	0 Degrees
Maximum Load Per Fixed Wheel:	800 kg
Maximum Load per Swivel Castor:	2000 kg
Machine Weight:	500 kg

### CLOSED DIMENSIONS

Length:	1.30 m
Width:	0.73 m
Height:	1.98 m

### PERFORMANCE

Ascent / Decent Rotations:	42
----------------------------	----

### SAFETY FEATURES

- Anti-Climb Vertical Guardrail
- Tethering Accessories for Tools
- Anti-Surf Brakes
- Transport and Deck Lock
- Outriggers
- Winch Point
- Optional Brick Guard



**Please Note:**  
When using outdoors  
deploying the outriggers  
is mandatory.



The Powered Access Marketplace

**INTERNATIONAL  
PLATFORMS**

[sales@internationalplatforms.co.uk](mailto:sales@internationalplatforms.co.uk)

+44(0)333 0064277

Hounslow Hall Estate, Drayton Road,  
Newton Longville, Milton Keynes, MK17 0BU

# Navigator 6.0

Part Self-Powered Scissor Lift Family

The first self-powered push around scissor lift achieving a working height of 6.0m. Simply step in, turn the handle and elevate to your chosen working height - with materials and tools. The Navigator can be used 24/7 without the use of batteries and hydraulics.

With the Navigator 6.0, safety is at the forefront and is the first to feature the anti-climb vertical guardrails to the access market.

## Key Features:

- Patent Pending
- Lightweight compared conventional Scissor lifts
- Lifts both Operative and Materials to height
- Fits through a door frame
- Minimum repair cost
- Carbon Zero



**Self-Powered Push Around  
Scissor.**

Indoor/Outdoor Use

**Working Height: 6.0 m**

Applications: ME, Fitout, Refurb,  
F&M, Data and Aviation.

**UK  
CA**



The Powered Access Marketplace

**INTERNATIONAL  
PLATFORMS**

sales@internationalplatforms.co.uk

+44(0)333 0064277